




The photograph may not match the reference exactly. Please read the product description to identify the finish.


**Description**

LED appliance prepared for recessed wall installation. Housing in plaster with a steel plate fixtures. Available in three different sizes depending on the output width of the light beam. Possibility of completely integrating the piece in the architecture with thermoplastic paint.

**TECHNICAL CHARACTERISTICS**


Type:	SIGNAL
IP Protection degrees:	IP20
Light source 1:	1 x LED Cree 1W Warm White - 2900K 87 lm <sup>(R)</sup>
Total power consumption (W):	2.4
Voltage / Frequency:	100-240V/50-60Hz
Warranty (Years):	2
Option to extend the guarantee (Years):	5
Units per box:	8
Net Weight (Kg):	0.52
EAN:	8435381400750


**MATERIALS / FINISHES**


**Structure material:** Plaster  
**Structure finish:** White

**GEAR**

Necessary equipment not included. For more information check website / catalogs / sales organization.

**LED Blanco cálido / Warm white - 350mA**



Download photometric file .ldt / .ies



Click on image to download drawing into account the efficiency of the optics and/or diffuser.

LEDS-c4 reserves the right to make the necessary technical changes they deem adequate, in order to improve the features of the product.  
Please consult the sales team to clarify any doubt.

# SPARE PARTS



1

Adjustable recess system  
Sistema de empotrado ajustable  
R-0518041400-01



2

LED module CREE XBD +  
fixation ring / Modul LED  
CREE XBD + anella fixació  
R-0518041400-02

	<b>NOM</b>	<b>DATA</b>	<b>PROVEIDOR</b>	<b>REFERENCIA</b>
<b>REVISAT:</b>	F.CODINA	14/ago/2013		<b>05-1804</b>
<b>APROVAT:</b>	J. BALCELLS	14/ago/2013		<b>SERIE SECRET</b>

