

## INFINITE Accessory

**Description**

Linear lighting

Professional LED module with stand-alone unit. High performance effective lm/W. Compact, high performance product. Structure material: Aluminium. Structure finish: White. Diffuser material: Polycarbonate. Diffuser finish: Prismatic. Warranty: 5 Years.

**Finish**  
White  
Prismatic

**Material**  
Aluminium  
Polycarbonate

**TECHNICAL CHARACTERISTICS****Light source**

Light source: LED VOSSLOH  
Output (W): 52W  
Total power consumption (W): 58.1  
Color temperature: Warm White - 3000K  
CRI: 80  
Real Lumen: 3794  
Nominal Lumen: 6020  
Qty Leds: 72  
Lm/Real W: 65  
Life Time: 50.000h L80B10  
MacAdam steps: 3  
UGR: 18.5  
Photobiological risk: RG1

**GEAR**

Brand: VOSSLOH-SCHWABE  
Gear included: Yes, electronic  
Voltage / Frequency:  
220-240VAC/50-60Hz  
Power Factor: 0.94  
Dimming protocol: Dali  
Flickering: 3

**Luminaire**

Warranty: 5 Years

**Logistics**

Energy Efficiency: LED A++  
Net Weight (Kg): 0.000  
Packing: - x - x -

The photograph may not match the reference exactly. Please read the product description to identify the finish.



## INFINITE

---

71-7499-14-DS

---

### Linear lighting

Professional LED module with stand-alone unit. High performance effective lm/W. Compact, high performance product. Structure material: Aluminium. Structure finish: White. Diffuser material: Polycarbonate. Diffuser finish: Prismatic. Warranty: 5 Years.

Product net weight (Kg): 0.000

Product length (mm): 1694

Class 1. LED. No. of lampholders or LEDs: 72. LED brand: VOSSLOH. Driver brand: VOSSLOH-SCHWABE. Maximum power of light source: 52W. Colour temperature: Warm White - 3000K. Colour rendering index: 80. MacAdam Steps: 3. Hours of life: 50.000h L80B10. UGR: 18.5. Photobiological risk: RG1. % de Flickering: 3. Real flux (lm): 3794. Nominal flux (lm): 6020. Lm/Real W: 65. Voltage and frequency range: 220-240. Voltage: 3. Intensity: 230. Gear included: Yes, electronic. Total power: 58.1. Power factor: 0.94. Dimmable gear included: Dali.