

90-6378-14-60

V0

## BENTO Downlight recessed



### Description

Downlights



For downlighting. UGR <10. Maximum visual comfort with invisible lamp effect. Structure material: Aluminium, Polycarbonate. Structure finish: White, Black. Warranty: 2 Years.

### Finish

White  
Black

### Material

Aluminium  
Polycarbonate



40x328

0-18



### TECHNICAL CHARACTERISTICS

#### Light source

Light source: LED CREE

Output (W): 26.4 W

Color temperature: Warm White - 2700K Voltage / Frequency: max. 700mA

CRI: 90

Real Lumen: 1441

Nominal Lumen: 1520

Qty Leds: 12

Lm/Real W: 55

Life Time: 40.000h L80B20

Bin / Grup: 8A3 o 8D2

MacAdam steps: 3 STEPS

UGR: 7.4

Photobiological risk: RG2

#### GEAR

This item requires gear. It is not included.

#### Luminaire

Warranty: 2 Years

#### Logistics

Energy Efficiency: LED A++




EAN Code: 8435526844005

Net Weight (Kg): 0.000


Packing: 130 x 130 x 370

Masterbox: 1





The photograph may not match the reference exactly. Please read the product description to identify the finish.



40x328




0-18mm





### TRIMLESS

- 3LEDS: 36x84mm
- 6LEDS: 36x164mm
- 12LEDS: 36x323mm
- 18LEDS: 36x482mm
- 3X3LEDS: 90x90mm



### TRIM



- 3LEDS: 40x88mm
- 6LEDS: 40x168mm
- 12LEDS: 40x328mm
- 18LEDS: 40x486mm
- 3X3LEDS: 95x95mm




1




## TRIM/CON MARCO



2



3



4



## TRIMLESS/SIN MARCO

